

#whdentalwerk



video.wh.com

Now at
your dealer
or wh.com



Safe, simple, flexible.

Respects your needs.
Today and tomorrow.




implantmed^{PLUS}

For a **stable**
Implant




Stress-free healing

The automatic thread cutter function supports you when inserting implants in hard bone. It prevents compression of the bone.




Secure placement

The automatic torque control guarantees the required security. It can be adjusted from 5 to 80 Ncm.



Measurable stability

Implant stability can be measured precisely with the W&H Osstell ISQ module, available as an accessory.



The measured Implant Stability Quotient is confirmed by numerous clinical trials.

Dr. Fred Bergmann
oral surgeon, Germany

»The combination of Implantmed and Osstell ISQ module ensures improved treatment safety for me and my patients. An important decision-making tool for open healing, immediate loading and immediate restoration.«



Digital workflow solutions for your Implantmed Plus.
More information at wh.com



For a simple work process

Implantmed impresses users with its intuitive user interface and simplifies your treatment process.



Concentration on the essentials

The display shows the most important functions during treatment.




With intuitive ease

Colour touch screen with user-friendly menu guidance and glass surface for easy cleaning.


easy to use!

Implantmed with new pump design!



Documentation of osseointegration

The documentation function conveniently saves all values of the implant insertion on a USB stick.



Ideal for the group practice

Customize Implantmed for multiple surgeons in the partnership.



For the dental assistant

The new pump design makes insertion of the coolant hose secure and quick.



Diana Beckenbach

professional assistant for oral surgery, Germany

»The pump of the W&H Implantmed is incredibly easy to operate even under sterile conditions.«

The new surgical straight and contra-angle handpieces with **mini-LED+**

WS-75 L | 20:1

Specially designed for preparation of the implant site and implant insertion.

S-11 L | 1:1

The first choice for apical resection, osteotomy, sequestrotomy, bone modelling and bone smoothing and also for extraction of wisdom teeth.

**WS-91 L | 1:2,7
45°-Kopf**

Specially designed to improve access in the premolar and molar region.

**WS-56 L | 1:1
WS-92 L | 1:2,7**

Designed for osteotomy, sequestrotomy, germectomy, hemisection.



Whether you are inserting an implant or extracting a wisdom tooth, you can be sure of optimum cooling and illumination of the treatment site. High-quality stainless steel with a scratch-resistant coating makes the surgical straight and contra-angle handpieces robust and gives them a particularly long service life.

**Nicholas Claydon BDS MscD
PhD MJDF RCS (eEng) FHEA**
oral surgeon, UK

»Beautifully machined for quality and balance. Superb LED light that set a benchmark for visibility.«



Fatigue-free operation

Combination with the ultra-short EM-19 electric motor allows long periods of work without fatigue.

Flexible and ergonomic

Wireless foot control for controlling multiple W&H devices, such as Implantmed and Piezomed.



One for all
Control the functions of the Implantmed and Piezomed with only one foot control.



Absolute freedom of movement
With the wireless foot control you can select the optimum position in the work area without restrictions. This means complete safety in the treatment area.

3 steps to your Implantmed Upgrade at any time – for today and tomorrow

Drive
with W&H connection
Insertion of all implants up to 80 Ncm
Ergonomic balance
Optimal illumination at all stages of the work

EM-19
(without LED+)

EM-19 LC
(with LED+)

✓	✓
✓	✓
-	✓

Foot control

Sterile working
Waterproof, AP-tested
Can be combined with Piezomed
Absolute freedom of movement

S-N2
(with cable)

S-NW
(wireless)

✓	✓
✓	✓
-	✓
-	✓

W&H Osstell ISQ module

Check primary stability
Observe osseointegration
Document Ncm and ISQ

without
ISQ module

with
ISQ module

✓	✓
-	✓
-	✓



wireless!

Prof. Dr. José Luis Calvo Guirado
D.D.S, PhD, Eu PhD, M.S.
oral surgeon, Spain

»Incredible easy to use in between the Implantmed and the Piezomed.«



The solution for your implant workflow



Osteotomy

6.2 Ncm for all bone qualities and 90 ml/min coolant to prevent necrosis.

Threading

Stress-free healing.
It prevents compression of the bone.

Implant insertion

Controlled insertion of all types of implant with torque of up to 80 Ncm.

Observe osseointegration


The W&H Osstell ISQ module enables the healing process of the implant to be monitored, even for high-risk patients.

Documentation

Inform referrers about the implant stability or present your results to specialist audiences.

W&H accessories

Every single Implantmed stands for top quality, precision and safety. You can add perfectly matched accessories to your high-quality W&H product.



Coolant hose

- › Precise fit
- › Save time for your dental assistants
- › Safety for your Implantmed



Surgical trolley

- › Your W&H control units in one compact location
- › Space-saving
- › Mobile



Transportation case

- › Securely packed for travel
- › Space for Implantmed, foot control, W&H Osstell ISQ module, straight and contra-angle handpieces
- › Also available for Piezomed

Technical data



Modelo:	Implantmed SI-1023	Implantmed SI-1015	Implantmed SI-1010
Mains voltage:	230 V	120 V	100 V
Permissible voltage fluctuation:	220 – 240 V	110 – 130 V	90 – 110 V
Rated current:	0.3 – 0.8 A	0.3 – 1.6 A	0.3 – 1.4 A
Frequency:		50 – 60 Hz	
Mains fuse (2 pcs):		250 V – T1.6AH	
Maximum power consumption:		170 VA	
Maximum power output:		80 W	
Maximum torque at motor:		6,2 Ncm	
Motor speed range in the rated voltage range:		200 – 40,000 min ⁻¹	
Coolant flow volume at 100%:		at least 90 ml/min	
Dimensions in mm (height x width x depth):		100 x 262 x 291	
Weight in kg:		3,5	
Foot control:		S-N2 / S-NW	
Straight and contra-angle handpieces with mini LED+:		S-11 L / WS-56 L, WS-75 L, WS-91 L, WS-92 L	
Warranty:		24 months	



W&H Dentalwerk Bürmoos GmbH
 Ignaz-Glaser-Straße 53, Postfach 1
 5111 Bürmoos, **Austria**
t +43 6274 6236-0
f +43 6274 6236-55
 office@wh.com
wh.com

Pictures are for illustrative purposes only. Additional equipment and accessories shown are not included as standard

20448 AEN Rev. 002 / 31.01.2019
 Subject to alterations